


The Enclosed Document Is Provided For Your Convenience.

Please Email ALL Questions:

[MailTo:ContractAdministration@TampaGov.net](mailto:ContractAdministration@TampaGov.net)

Please Let Us Know If You Plan To Bid

City of Tampa
Contract Administration Department
306 E. Jackson St. #280A4N
Tampa, FL 33602
(813)274-8456



BELMONT HEIGHTS LITTLE LEAGUE UPGRADES

2101 E. M.L.K. BLVD. TAMPA, FLORIDA 33610

ABBREVIATIONS

AF	above finished floor	NSUL	insulate (d), (on)
ADJT	adjustable	JT	joint
AC	air conditioning	JST	joist
ALT	alternate	JL	ladder
AB	anchor bolt	LAV	lavatory
ABT	bluminaus	LIT	light
BLK	blocking	MOC	masonry opening
BLKG	built up roofing	MECH	mechanical
CLC	cast-in-place concrete	MOD	modular
CLG	ceiling	NC	not to scale
CL	clearance	NTS	not to scale
CLR	column	PLA5	plaster
COL	column	PTC	pressure
CONC	concrete	PLY	plywood
CON	concrete masonry unit	POV	point of view
CONT	control joint, continue	PPF	pounds per cubic foot
CJ	control joint, continue	PFL	pounds per linear foot
CP	damp proofing	PSI	pounds per square foot
DL	dead load	PREC	precast concrete
DET	detail	RC	reinforced concrete
DM	dimension	RD	radius
DR	door	REF	reference
DW5	downdraft	RIA	return air
DW6	drawing	RO	rough opening
DFEC	drinking fountain	ROF	rough finish
ELC	electrical water cooler	SEC	section
EL	elevation	SEC	section
EQ	existing	SEC	section
EXST	existing joint	SEC	section
EXT	external	SEC	section
FEE	finished floor elevation	SEC	section
FF	finished floor line	SEC	section
FLG	flashing	SEC	section
FLD	floor drain	SEC	section
FTG	footing	SEC	section
FGB	furnished by others	SEC	section
GALV	galvanized	SEC	section
GAG	gage gauge	SEC	section
GC	general contractor	SEC	section
GC	general contractor	SEC	section
GB	grab bar	SEC	section
GTFDULL	gypsum dry wall	SEC	section
HH	handicapped	SEC	section
HDU	hard ure	SEC	section
HC	hard ure core	SEC	section
HLB	hose bibb	SEC	section

SYMBOLS

	Item number		elevation mark elevation number
	Restroom Accessory		Multi-Elevation elevation mark elevation number
	Drawing Note		Section Cut section mark elevation number
	Door Number		Window Type mark or type
	Room Number		Room Number number

DETAIL

ROOM TITLE

SECTION CUT

WINDOW TYPE

ROOM NUMBER

DESCRIPTIVE TITLE

PROJECT NOTES

- ALL CONSTRUCTION SHALL COMPLY WITH APPLICABLE CODES AND STANDARDS, INCLUDING BUT NOT LIMITED TO ALL STATE LAWS, LOCAL ORDINANCES, UTILITY COMPANY, FLORIDA ACCESSIBILITY CODE FOR BUILDING CONSTRUCTION, THE STANDARD MECHANICAL CODE, THE STANDARD PLUMBING CODE, THE OCCUPATIONAL SAFETY AND HEALTH ACT, NFPA AND THE CURRENTLY ADOPTED STANDARD BUILDING CODE. CONTRACTOR SHALL REMOVE ALL DEBRIS FROM THE PROJECT SITE AS REQUIRED TO MAINTAIN A SAFE AND ORDERLY WORK ENVIRONMENT.
- GENERAL CONTRACTOR SHALL VERIFY ALL DIMENSIONS AND EXISTING CONDITIONS PRIOR TO AND DURING CONSTRUCTION.
- DEMOLITION WORK SHALL NOT BE LIMITED TO THESE DOCUMENTS TO COMPLETE PROJECT AS ILLUSTRATED. REMOVE ITEMS NECESSARY TO ALLOW FOR NEW CONSTRUCTION.
- EXISTING SURFACES (WALLS, CEILING, ETC.) SHALL BE PROTECTED DURING CONSTRUCTION. THE CONTRACTOR SHALL CLEAN SURFACES AFTER CONSTRUCTION, REPAIR, PAINT AND OR REPLACE AREAS DAMAGED AS A RESULT OF PERFORMANCE OF THE WORK.
- ALL WORK SHALL BE COORDINATED WITH THE CITY OF TAMPA'S ARCHITECTURAL REPRESENTATIVE.

PROJECT NOTES

- THE CONTRACTOR SHALL SECURE ALL OPENINGS UNDER CONSTRUCTION AT THE END OF EACH WORKING DAY.
- ITEMS OR AREAS DAMAGED BY THE CONTRACTOR OR SUBCONTRACTORS SHALL BE REPAIRED OR REPLACED AT THE CONTRACTOR'S EXPENSE.
- IN GENERAL, ON SITE WORK SHALL NOT START UNTIL ALL MATERIAL IS AVAILABLE FOR INSTALLATION ONLY LIMITED WORK (NOT INTERFERING WITH THE USE OF THE KITCHEN) WILL BE ALLOWED PRIOR TO ALL MATERIAL BEING AVAILABLE TO MINIMIZE THE LENGTH OF TIME THE KITCHENS ARE OUT OF SERVICE.
- NO STORAGE IS AVAILABLE INSIDE STATION6 FOR CONTRACTOR USE.
- WORK CAN NOT INTERFERE WITH ONGOING OPERATIONS OF EACH STATION. COORDINATE EXTERIOR STORAGE/STAGING AREAS WITH C.O.T. REPRESENTATIVE.

ARCHITECT


THOMAS A. HESTER AIA - PROJECT ARCHITECT
 DPR #AR91743
 306 E. JACKSON ST. - 4N
 TAMPA, FL 33602
 PHONE (813) 214-5678 / FAX (813) 274-8080

CONSULTANTS

INDEX

ARCHITECTURAL
 G-01 COVER SHEET / GENERAL INFORMATION
 A-11 SITE PLAN
 A-21 INFORMATION PLANS & ELEVATIONS
 A-22 ELECTRICAL RISER & NOTES

LOCATION MAP



LEGAL DESCRIPTION


SEC 17, T29S, R19E
 ATLAS SHEET NO. G-13

SQUARE FOOTAGE

SHEET NUMBER
G-0.1
 OF

ISSUE DATE

SEPTEMBER 5, 2014



CITY OF TAMPA
 CONTRACT ADMINISTRATION
 PLANNING AND DESIGN DIVISION
 305 E JACKSON STREET 4 NORTH
 TAMPA, FLORIDA 33602
 TEL: 813.274.8880
 WWW.TAMPAGOV.COM

James E. Jackson, Jr., AIA, NOMA
 City Architect
 Edward D. Rice, AIA
 Kenji L. Herlihy, AIA
 Project Architect
 Thomas A. Heiser, Sr., AIA, NOMA
 Project Architect
 David K. Pugh
 Project Architect
 Kerry C. Timman
 Design Technician
 Jerry P. Sanders
 Design Technician
 Brian K. Thomas, LEED AP
 Design Technician

GENERAL NOTES

1 FIELD #1 WILL THESE TOP DRESSING OF CLAY WITH GRADING. SO ALLOWANCE SECTION FOR INCLUDED IN BID PRICING. ACTUAL SCOPE TO BE CONFINED DURING CONSTRUCTION.


KEY NOTES

- 1 NEW LITTLE LEAGUE SCOREBOARD TO REPLACE EXISTING SCOREBOARD. ELECTRIC MECH MODEL NO. LX1610 OR EQUAL. FIELD VERIFY LOCATION, UTILIZE EXISTING ELECTRIC CONNECTION POINT.
- 2 BATTING CAGE LIGHTING: PROVIDE TWO NEW T80U LITARK NIGHTHAWK III LAMP'S APPROXIMATELY 20' ABOVE GROUND. REMOVE EXISTING LIGHT. DIRECTIONAL BORE NEW 1" SCH. 40 PVC CONDUIT FOR NEW CIRCUIT IN CONCESSION BUILDING. CONTRACTOR TO CONFIRM CIRCUIT IDENTIFIED AND ROUTING OF CONDUIT. ALL BLDG. PENETRATIONS TO BE CALKED. LIGHT FIXTURE AIM SHALL BE CLOSELY COORDINATED TO PREVENT SPILL ONTO TRAFFIC LANES.
- 3 EXISTING CANOPY / ELECTRICAL ROOM
- 4 NOT USED
- 5 PROVIDE 4" NEW LOUDSPEAKER IN EXISTING BRACKETS AND PROTECTIVE ENCLOSURES MOUNTED TO EXTERIOR OF CONCESSIONS BUILDING. LOUD SPEAKERS SHALL BE AMERICAN AUDIO DLS - 187 15-INCH, 2-WAY SPEAKER OR EQUAL.
- 6 ---- NEW 6" HIGH WINDSCREENS ON ALL BALL FIELD FENCING AS SHOWN. 5.5' OZ/80 STD. LIQUEN POLYPROPYLENE FABRIC. ALL EDGES SHALL BE REINFORCED WITH 4 BRASS GROMMETS EVERY 12". LIGHT SHALL GREATER THAN 660 OZ/81F WIND. POCKETS SHALL BE PROVIDED BY COLORS TO BE SELECTED BY OWNER. OWNER FRONT MANUFACTURER STANDARD WINDSCREEN IS LOCATED FROM DUGOUT TO DUGOUT AROUND OUTFIELD FOR FIELD #4.



SITE PLAN
 SCALE: 1" = 20'
 NORTH

<p>CIVIL CONSULTANT</p> <p>BEAMONT HEIGHTS LITTLE LEAGUE UPRADERS 2801 E. PALM KING BLVD. TAMPA, FLORIDA 33601</p>	<p>STRUCTURAL CONSULTANT</p>	<p>MEP CONSULTANT</p>	<p>LANDSCAPE CONSULTANT</p>	<p>DPW FILE NUMBER X</p> <p>DPW NUMBER X</p> <p>ISSUE DATE SEPTEMBER 5, 2014</p> <p>DRAWN BY JERRY P. SANDERS</p> <p>REVISIONS</p> <p>△ △ △</p> <p>SEAL</p>	<p>SCALE: NS.T.</p> <p>SITE PLAN</p> <p>SHEET NUMBER A11</p> <p>X OF X</p>
---	-------------------------------------	------------------------------	------------------------------------	---	---



CITY OF TAMPA
 DEPARTMENT
 PLANNING AND DESIGN DIVISION
 CONTRACT ADMINISTRATION

306 E JACKSON STREET 4 NORTH
 TAMPA, FLORIDA 33602
 TEL: 813.274.8800
 WWW.TAMPAGOV.COM

James E. Jackson, Jr., AIA, NOMA
 City Architect
 Edward D. Rice, AIA
 Deputy City Architect
 Kevin L. Herlihy, AIA
 Project Architect
 Thomas A. Heiser, Sr., AIA, NOMA
 Project Architect
 David K. Pugh
 Project Architect
 Keyrey C. Timpan
 Drawing Technician
 Jerry P. Sanders
 Drawing Technician
 Darryl K. Thomas, LEED AP
 Project Architect

MEP CONSULTANT

STRUCTURAL CONSULTANT

CIVIL CONSULTANT

LANDSCAPE CONSULTANT

**BELMONT HEIGHTS LITTLE LEAGUE
 UPRADERS**
 2011 E. ML KING BLVD.
 TAMPA, FLORIDA 33601

DRPW FILE NUMBER
 X

DRPW NUMBER
 X

ISSUE DATE
 SEPTEMBER 5, 2014
DRAWN BY
 JERRY P. SANDERS

REVISIONS

△
 △
 △
SEAL

SCALE: VARIOUS

FLOOR PLANS

SHEET NUMBER
 A2.1


X OF X

GENERAL NOTES


- COLOR FOR ALL APPLIANCES TO BE SELECTED FOR STANDARD RANGE OF COLORS.
- CONTRACTOR TO PROVIDE SHOP DRAWINGS FOR ALL ITEMS OF WORK NOT IN CONTRACT.
- 2ND FLOOR OF CONCESSION BUILDING

KEY NOTES


- REMOVE EXISTING COUNTER AND STORAGE
- REMOVE EXISTING DOUBLE FRIGERS (3)
- REMOVE EXISTING STOVE
- REMOVE EXISTING ICE MACHINE
- REMOVE EXISTING STAND - UP BEVERAGE COOLER
- REMOVE EXISTING REFRIGERATOR
- REMOVE EXISTING COUNTER TOP DRINK REFRIGERATOR (2)
- REMOVE EXISTING COUNTER TOP FOOD WARMER
- REMOVE EXISTING CHEST FREEZER
- EXISTING ROLL-UP SHUTTER
- REMOVE EXISTING CABINET DOORS
- REMOVE NEW SHUTTER (20'W X 4'H (VERIFY))
- SIMILAR TO WINDSOR DOOR MODEL 8225 OR EQUAL
- NEW 42" HIGH PARTITION WITH 20 GAUGE 3 1/2" STUDS 16" OC, W/ 3/8" TYPE - X GTPBD, EA. SIDE PAINTED.
- NEW 30" X 48" STAINLESS STEEL WORK TABLE WITH UNDER SHELF AND 5" BACK SPLASH ADVANCE TABCO MODEL NO. K99 - 246 OR EQUAL.
- NEW 24" X 30" STAINLESS STEEL TABLE ADVANCE TABCO MODEL NO. K99 - 304 OR EQUAL.
- NEW 24" X 12" STAINLESS STEEL WORK TABLE WITH UNDER SHELF AND 5" BACK SPLASH ADVANCE TABCO MODEL NO. K99 - 246 OR EQUAL.
- NEW 24" X 30" STAINLESS STEEL TABLE ADVANCE TABCO MODEL NO. K99 - 240 OR EQUAL.
- NEW ELECTRIC STOVE GE MODEL JB T00DN OR EQUAL.
- NEW ELECTRIC DOUBLE FRIGERS (3) ADDORAT MODEL DF / 61/7 OR EQUAL.
- NEW AUTOMATIC ICE MACHINE MANTICUOC INDIGO SERIES MODEL 322 OR EQUAL.
- NEW UPRIGHT FREEZER GE MODEL NO. FUP1919/RSU1 OR EQUAL.
- NEW UPRIGHT BEVERAGE REFRIGERATOR HARCO MODEL NO. 9E24T OR EQUAL.
- NEW REFRIGERATOR GE MODEL G6HF6GX OR EQUAL.
- NEW COUNTER TOP DRINK COOLER AHT MODEL NO. CTB80 OR EQUAL.
- NEW COUNTER TOP FOOD WARMER ADDORAT MODEL NO. HD - 36 OR OR EQUAL.
- EXISTING WALL MOUNTED ANSUL 57 STEP TO REMAIN.
- EXISTING 220V RECEPTACLE TO BE RELOCATED IN NEW WALL.
- EXISTING 120V QUAD RECEPTACLE TO BE RELOCATED IN NEW WALL.
- EXISTING PANEL "A"
- VINTL BASE
- PROVIDE VINTL COATING WIRE SHELVES (B) ROWS WITH HEAVY DUTY BRACKET.
- 1" THICK BY 5" GRANITE SILL CONTINUES SET IN MASTIC.
- EXISTING PANEL "K"
- NEW 4-QUART COMMERCIAL CROCK POT U687 BEND MODEL NO. 64384
- REMOVE EXISTING UNDER COUNTER ELECTRICAL JUNCTION BOXES
- REMOVE EXISTING OUTLET AND CIRCUITS FROM UNDER COUNTER CAP CIRCUIT AT PANEL.
- EXISTING 120V DUPLEX RECEPTACLE TO BE RELOCATED IN NEW WALL.
- EXISTING HOOD
- P.T. 2X WALLER CONTINUOUS
- RELOCATED 220V OUTLET
- RELOCATED 120V QUAD OUTLET
- PROVIDE NEW TYPE K EXTINGUISHER UL RATED K 1516 IN STAINLESS STEEL CERTAI CONTAINER BY LARSEN OR EQUAL WITH WALL MOUNTED BRACKET.
- EXISTING FIRE EXTINGUISHER




A ISLAND ELEVATION
 SCALE 3/8" = 1'-0"




B ISLAND ELEVATION
 SCALE 3/8" = 1'-0"



1 CAP DETAIL
 SCALE 3/4" = 1'-0"



FLOOR DEMOLITION PLAN
 SCALE 1/4" = 1'-0"



FLOOR RENOVATION PLAN
 SCALE 1/4" = 1'-0"

